Declaration of Performance





DoP Number: GR-2099-003

1 Unique identification code of the product-type:

MW-EN 13162-T7-CS(10)50-TR15-PL(5)600-WS-WL(P)-SD32-CP2

 $2\ \ Identification\ of\ the\ construction\ product\ as\ required\ under\ Article\ 11(4)\ of\ the\ regulation\ n^\circ\ 305/2011/EU:$

FIBRANgeo BP-50-BIT

3 Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Thermal Insulation of Building (ThIB)

FIBRAN S.A. 56410, Thessaloniki, Greece

 $4\ Name, registered\ trade\ name\ or\ registered\ trade\ mark\ and\ contact\ address\ of\ the\ manufacturer\ as\ required\ under\ Article\ 11(5)\ of\ the\ regulation\ n^{\circ}$ 305/2011/EU:

 $5\ \ Name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2) of the regulation <math>n^{\circ}$ 305/2011/EU:

 $6\ \ System\ or\ systems\ of\ assessment\ and\ verification\ of\ constancy\ of\ performance\ of\ the\ construction\ product\ as\ set\ out\ in\ Annex\ V\ of\ the\ Regulation\ n^{\circ}$ 305/2011/EU:

AVCP - System 1 - System 3

7 Notified Certification bodies FIW (Forschunginstitut für Wärmeschutz e.v München) N° 0751 and MPA (Materialprüfanstalt fün das Bauwesen $Hannover) \ N^{\circ} \ O764 \ performed, carried out the determination of the product type, the initial inspection of the manufacturing plant and of factory and the product type in the initial inspection of the manufacturing plant and of factory and the product type in the initial inspection of the manufacturing plant and of factory and the product type in the initial inspection of the manufacturing plant and of factory and the product type in the initial inspection of the manufacturing plant and of factory and the product type in the initial inspection of the manufacturing plant and of factory and the product type in the initial inspection of the manufacturing plant and of factory and the product type in the product$ $production\ control\ and\ the\ continuous\ surveillance,\ assessment\ and\ evaluation\ of\ factory\ production\ control\ and\ issued\ the\ certificate\ of\ constancy\ of\ factory\ production\ control\ and\ issued\ the\ certificate\ of\ constancy\ of\ factory\ production\ control\ and\ issued\ the\ certificate\ of\ constancy\ of\ factory\ production\ control\ and\ issued\ the\ certificate\ of\ constancy\ of\ factory\ production\ control\ and\ issued\ the\ certificate\ of\ constancy\ of\ factory\ production\ control\ and\ issued\ the\ certificate\ of\ constancy\ of\ factory\ production\ control\ and\ issued\ the\ certificate\ of\ constancy\ of\ factory\ production\ control\ and\ issued\ the\ certificate\ of\ constancy\ of\ factory\ production\ control\ and\ issued\ the\ certificate\ of\ constancy\ of\ constancy\ of\ certificate\ of\ constancy\ of\ certificate\ of\ constancy\ of\ certificate\ of$ performance for reaction to fire.

0751-CPR-223.0-01

Not applicable

8 Declared performance according to harmonized standard:

EN 13162:2012+A1:2015

Essential characteristics	Performance	Abbreviation	Unit	Declared performance		
Reaction to fire	Reaction to fire	RtF	Euroclass	F		
Realease of dangerous substances	Realease of dangerous substances			NPD		
Acoustic absorption index	Sound absorption	AW	-	NPD		
	Dynamic stiffness	SD	MN/m³	32		
	Thickness	d _L	mm	40		
Impact noise transmission index	Compressibility	СР	mm	2		
	Air flow resistivity	AFr	kPa.s/m²	NPD		
Direct airborne sound insulation index	Air flow resistivity	AFr	kPa.s/m²	NPD		
Continous glowing combustion	Continous glowing combustion			NPD		
	Thermal resistance	R _D	m² K/W	see below table		
Thermal resistance	Thermal conductivity	λ _D	W/m K	0,037		
	Thickness	d _N mm		40-160		
	Thickness class	T	Class	T7		
	Short term water absorption	WS	kg/m²	<1		
Water permeability	Long term water absorption	WL(P)	kg/m²	<3		
Weters	Metallia	MU	-	NPD		
Water vapour permeability	Water vapour transmission	Z	m2hPa/mg	>50		
Compressive strength	Compressive stress	CS(10)	kPa	50		
Compressive strength	Point Load	PL(5)	N	600		
Durability of reaction to fire against heat, weathering, ageing/degradation	Reaction to fire	RtF	Euroclass	F		
a little following the second of the second	Thermal resistance	R _D	m² K/W	see below table		
Durability of thermal resistance against heat, weathering,	Thermal conductivity	λ _D	W/m K	0,037		
ageing/degradation	Durability characteristics	DS (70,90)	%	NPD		
Tensile/Flexural strength	Tensile strength perpendicular to faces	TR	kPa	15		
Durability of compressive strength against heat, weathering, ageing/degradation	Compressive creep	CC(i ₁ /i ₂ /y) σ _c	mm	NPD		
NPD: No Performance Determined						

9 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

Thickness	d _N (mm)	40	50	60	70	80	90	100	110	120	130	140	150	160
Thermal resistance	$R_D (m^2 K/W)$	1,05	1,35	1,60	1,85	2,15	2,40	2,70	2,95	3,20	3,50	3,75	4,05	4,30

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Name: Dr. Chadiarakou Stella Function: Quality Assurance Manager

Place: Thessaloniki 20/3/2020 Date: Signature: